



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/691,747	10/22/2003	Jack D. Pryor	PA1548

CONFIRMATION NO. 7767

## FORMALITIES LETTER



\*OC000000011754639\*

Janis J. Biksa  
 Medtronic Vascular, Inc.  
 IP Legal  
 3576 Unocal Place  
 Santa Rosa, CA 95403

Date Mailed: 01/23/2004

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - The drawings must be made on paper that has a white background (see 37 CFR 1.84 (e)). For example, drawings on graph paper, lined paper, or paper that has a non-white background are not acceptable. See Figure(s) 1, 2, 3, 5 A, 11, 12.

Replies should be mailed to: Mail Stop Missing Parts  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria VA 22313-1450

*A copy of this notice MUST be returned with the reply.*

*AASANTOS*

Customer Service Center  
 Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY